

# OEA-ML22-280 Double Door Magnetic Lock (280KG)

## Overview

OEA-ML22-280 is a magnetic lock with 280kg holding force designed for double doors, which is made of high-strength aluminum alloy and suitable for wooden doors, glass doors, iron doors, security doors, etc. It features fine workmanship, high solidity, strong suction, low power consumption, high reliability, high stability and sensitivity, easy installation, and eco-friendliness.



## Features

- 280kg holding force.
- MOV surge protection.
- No residual magnetism, abrasion resistant.
- Solid aluminum alloy housing.
- Double-insulated lock body.
- Tamper-proof screws, stable and safe.

## Specifications

Parameter	Description
Operating voltage	DC12V/DC24V
Operating current	460mA*2/230mA*2
Holding force	280kg
Signal output	Lock status signal output
Door support	Wooden door, glass door, metal door, etc.
Operating environment	Operating temperature: -30°C to +60°C; operating humidity: ≤95%
Dimensions (LxWxD)(mm)	Lock housing:500×47.7×27.5; armature plate: 180×38×11.7
Operation mode	Failsafe
Weight	4kg
Attestation	CE/FCC/ROHS


## Ordering Information

Model	Remarks
OEA-ML22-280	Double Door Magnetic Lock (280KG)


## Accessories

Model	Name	Description	Weight
OEA-MS22-280L	Double Door Magnetic Lock L-Bracket (280KG)	Used to install the lock body of OEA-ML22-280 double door magnetic locks	0.54kg
Choose one from the following			
OEA-MS12-280Z	Magnetic Lock Z-Bracket (280KG)	Used to install the armature plate of 280kg magnetic locks	0.48kg
OEA-MS12-280U	Magnetic Lock U-Bracket (280KG)	Used to install the armature plate of 280kg magnetic locks, suitable for 8mm to 12mm thick frameless glass doors	0.32kg


## Dimensions



Double Door Magnetic Lock (280KG)



Double Door Magnetic Lock L-Bracket (280KG)



Magnetic Lock Z-Bracket (280KG)



Magnetic Lock U-Bracket (280KG)

**Zhejiang Uniview Technologies Co., Ltd.**

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2022 Zhejiang Uniview Technologies Co., Ltd. All rights reserved.

\* Product specifications and availability are subject to change without notice.