

# LCD Splicing Display Unit

MW-A49-B1



## Key Features

- High reliability integration design
- Built-in image splicing function
- Support special splicing compensation
- Support screen to prevent cauterizing, image flip
- Support white balance adjustment
- Support remote control and RS232 hoop control
- Support record and display working time on panel
- Support fast splicing unit ID, convenient for adjustment
- Supports double frame function
- Power delay function after power
- Stable running and low maintenance cost, supporting 24 hours continuous working
- Unit has its own customizable button, which can be customized as test pattern / burn-in and other functions
- Equipped with two HDMI input Interfaces and one HDMI loop out Interface, support video signal loop out display

## Specifications

Model	MW-A49-B1
Display	
Diagonal Size (inch)	49"
Backlight	LED (Direct type)
Physical Seam	3.5 mm
Resolution	1920×1080
Color	16.7M
Brightness	500 cd/m <sup>2</sup>
Contrast	4000:1
Response Time	8 ms
Viewing Angle	Horizontal 178°, Vertical 178°
Interface	
Input Interface	1×VGA, 1×DVI, 2×HDMI
Loop Interface	1×HDMI
USB	1×USB
Control Interface	1×RS-232 IN, 1×RS-232 OUT, 1×IR
General	
Dimensions (W×H×D)	1078.34mm×608.36mm×125.08mm
Power Supply	100 to 240 VAC
Consumption	150 W
Weight	23.5 Kg
Operation Temperature	0°C ~ 40 °C
Operating Humidity	20%~90% (No Condensation)

## Typical Application


### Inside Splicing application mode

MW-A49-B1 support with UNV DC5500 series HD DC match up, After decoding the image Mosaic display.

### Outside Splicing application mode

MW-A49-B1, compatible with splicing control device of Uniview and main manufacturers, realize video splicing display after decoding media stream by IP and signal output from workstation.

## Dimensions



## Order Information

Model	Remake
MW-A49-B1	LCD Splicing Display Unit
49 Inch Split Screen Vertical Support Bracket Unit-3.5(Modularization Floor Mounting)	optional
49 Inch Split Screen Vertical Support Bracket Base-3.5-H60(Modularization Floor Mounting)	optional
49 Inch Split Screen Vertical Support Bracket Base-3.5-H80(Modularization Floor Mounting)	optional
49 Inch Split Screen Vertical Support Bracket Base-3.5-H90(Modularization Floor Mounting)	optional
49 Inch Split Screen Vertical Support Bracket Base-3.5-H100(Modularization Floor Mounting)	optional
49 Inch Split Screen Vertical Support Bracket Base-3.5-H110(Modularization Floor Mounting)	optional

### Zhejiang Uniview Technologies Co.,Ltd.

Building No.10, Wanlun Science Park, Jiangling Road 88, Binjiang District, Hangzhou, Zhejiang, China

Email: [overseasbusiness@uniview.com](mailto:overseasbusiness@uniview.com); [globalsupport@uniview.com](mailto:globalsupport@uniview.com)

<http://www.uniview.com>

©2020 Zhejiang Uniview Technologies Co.,Ltd. All rights reserved.

\*Product specifications and availability are subject to change without notice.